

Serial No. 10,668,920

PAGE 2
CASE 52340AUSM1AMENDMENTS TO THE CLAIMS

Claim 1 (Canceled).

Claim 2 (Canceled).

Claim 3 (Previously Amended). A compound, or a pharmaceutically acceptable salt thereof, wherein the compound is selected from the group consisting of:

1-[[7-(aminoiminomethyl)-2-naphthalenyl]methyl]-2,5-dioxo-4-phenyl-3-(phenylmethyl)-4-imidazolidineacetamide;

1-[[7-(aminoiminomethyl)-2-naphthalenyl]methyl]-2,5-dioxo-4-phenyl-3-(phenylmethyl)-4-imidazolidineacetic acid;

1-[[7-(aminoiminomethyl)-2-naphthalenyl]methyl]-2,5-dioxo-4-phenyl-3-(phenylmethyl)-4-imidazolidinepropanamide;

7-[[4-(4-aminophenyl)-4-methyl-2,5-dioxo-3-(phenylmethyl)-1-imidazolidinyl]methyl]-2-naphthalenecarboximidamide;

7-[[3-(4-aminophenyl)methyl]-4-methyl-2,5-dioxo-4-phenyl-1-imidazolidinyl]methyl]-2-naphthalenecarboximidamide;

7-[[4-(4-aminophenyl)-4-methyl-2,5-dioxo-3-(phenylmethyl)-1-imidazolidinyl]methyl]-2-naphthalenecarboximidamide;

4-[[3-[[7-(aminoiminomethyl)-2-naphthalenyl]methyl]-5-methyl-2,4-dioxo-5-phenyl-1-imidazolidinyl]methyl]-benzamide;

3-[[3-[[7-(aminoiminomethyl)-2-naphthalenyl]methyl]-5-methyl-2,4-dioxo-5-phenyl-1-imidazolidinyl]methyl]-benzamide;

7-[[3-[(3-aminophenyl)methyl]-4-methyl-2,5-dioxo-4-phenyl-1-imidazolidinyl]methyl]-2-naphthalenecarboximidamide; and

7-[[3-[[4-(aminoiminomethyl)phenyl]methyl]-4-methyl-2,5-dioxo-4-phenyl-1-imidazolidinyl]methyl]-2-naphthalene carboximidamide;

as a single stereoisomer, a mixture of individual stereoisomers, or a racemic mixture.

Claims 4 – 8 (Canceled).

Claim 9 (Previously Presented). A pharmaceutical composition, which composition comprises a pharmaceutically acceptable excipient and a therapeutically effective amount of a compound, or a pharmaceutically acceptable salt thereof, wherein the compound is selected from the group consisting of:

Serial No. 10,668,920

PAGE 3
CASE 52340AUSM1

1-[[7-(aminoiminomethyl)-2-naphthalenyl]methyl]-2,5-dioxo-4-phenyl-3-(phenylmethyl)-4-imidazolidineacetamide;

1-[[7-(aminoiminomethyl)-2-naphthalenyl]methyl]-2,5-dioxo-4-phenyl-3-(phenylmethyl)-4-imidazolidineacetic acid;

1-[[7-(aminoiminomethyl)-2-naphthalenyl]methyl]-2,5-dioxo-4-phenyl-3-(phenylmethyl)-4-imidazolidinepropanamide;

7-[[4-(4-aminophenyl)-4-methyl-2,5-dioxo-3-(phenylmethyl)-1-imidazolidinyl]methyl]-2-naphthalenecarboximidamide;

7-[[3-(4-aminophenyl)methyl]-4-methyl-2,5-dioxo-4-phenyl-1-imidazolidinyl]methyl]-2-naphthalenecarboximidamide;

7-[[4-(4-aminophenyl)-4-methyl-2,5-dioxo-3-(phenylmethyl)-1-imidazolidinyl]methyl]-2-naphthalenecarboximidamide;

4-[[3-[[7-(aminoiminomethyl)-2-naphthalenyl]methyl]-5-methyl-2,4-dioxo-5-phenyl-1-imidazolidinyl]methyl]-benzamide;

3-[[3-[[7-(aminoiminomethyl)-2-naphthalenyl]methyl]-5-methyl-2,4-dioxo-5-phenyl-1-imidazolidinyl]methyl]-benzamide;

7-[[3-[(3-aminophenyl)methyl]-4-methyl-2,5-dioxo-4-phenyl-1-imidazolidinyl]methyl]-2-naphthalenecarboximidamide; and

7-[[3-[[4-(aminoiminomethyl)phenyl]methyl]-4-methyl-2,5-dioxo-4-phenyl-1-imidazolidinyl]methyl]-2-naphthalene carboximidamide;

as a single stereoisomer, a mixture of individual stereoisomers, or a racemic mixture.

Claim 10 (New). A method of treating a mammal having a disease-state characterized by thrombotic activity, which method comprises administering to a mammal in need thereof a therapeutically effective amount of a compound, or a pharmaceutically acceptable salt thereof, selected from the group consisting of:

1-[[7-(aminoiminomethyl)-2-naphthalenyl]methyl]-2,5-dioxo-4-phenyl-3-(phenylmethyl)-4-imidazolidineacetamide;

1-[[7-(aminoiminomethyl)-2-naphthalenyl]methyl]-2,5-dioxo-4-phenyl-3-(phenylmethyl)-4-imidazolidineacetic acid;

1-[[7-(aminoiminomethyl)-2-naphthalenyl]methyl]-2,5-dioxo-4-phenyl-3-(phenylmethyl)-4-imidazolidinepropanamide;

7-[[4-(4-aminophenyl)-4-methyl-2,5-dioxo-3-(phenylmethyl)-1-imidazolidinyl]methyl]-2-naphthalenecarboximidamide;

Serial No. 10,668,920

PAGE 4
CASE 52340AUSM1

7-[[3-(4-aminophenyl)methyl]-4-methyl-2,5-dioxo-4-phenyl-1-imidazolidinyl]methyl]-2-naphthalenecarboximidamide;

7-[[4-(4-aminophenyl)-4-methyl-2,5-dioxo-3-(phenylmethyl)-1-imidazolidinyl]methyl]-2-naphthalenecarboximidamide;

4-[[3-[[7-(aminoiminomethyl)-2-naphthalenyl]methyl]-5-methyl-2,4-dioxo-5-phenyl-1-imidazolidinyl]methyl]-benzamide;

3-[[3-[[7-(aminoiminomethyl)-2-naphthalenyl]methyl]-5-methyl-2,4-dioxo-5-phenyl-1-imidazolidinyl]methyl]-benzamide;

7-[[3-[(3-aminophenyl)methyl]-4-methyl-2,5-dioxo-4-phenyl-1-imidazolidinyl]methyl]-2-naphthalenecarboximidamide; and

7-[[3-[[4-(aminoiminomethyl)phenyl]methyl]-4-methyl-2,5-dioxo-4-phenyl-1-imidazolidinyl]methyl]-2-naphthalene carboximidamide;

as a single stereoisomer, a mixture of individual stereoisomers, or a racemic mixture.

Claim 11 (New). The method of claim 10 wherein the disease-state is selected from the group consisting of unstable angina, myocardial infarction, cerebral thromboembolism, transient ischemic attack, pulmonary embolism, disseminated intravascular coagulation, stroke, deep vein thrombosis, and coronary reocclusion after thrombolytic therapy.

Claim 12 (New). A method of inhibiting Factor VIIa/TF by administering a therapeutically effective amount of a compound, or a pharmaceutically acceptable salt thereof, selected from the group consisting of:

1-[[7-(aminoiminomethyl)-2-naphthalenyl]methyl]-2,5-dioxo-4-phenyl-3-(phenylmethyl)-4-imidazolidineacetamide;

1-[[7-(aminoiminomethyl)-2-naphthalenyl]methyl]-2,5-dioxo-4-phenyl-3-(phenylmethyl)-4-imidazolidineacetic acid;

1-[[7-(aminoiminomethyl)-2-naphthalenyl]methyl]-2,5-dioxo-4-phenyl-3-(phenylmethyl)-4-imidazolidinepropanamide;

7-[[4-(4-aminophenyl)-4-methyl-2,5-dioxo-3-(phenylmethyl)-1-imidazolidinyl]methyl]-2-naphthalenecarboximidamide;

7-[[3-(4-aminophenyl)methyl]-4-methyl-2,5-dioxo-4-phenyl-1-imidazolidinyl]methyl]-2-naphthalenecarboximidamide;

7-[[4-(4-aminophenyl)-4-methyl-2,5-dioxo-3-(phenylmethyl)-1-imidazolidinyl]methyl]-2-naphthalenecarboximidamide;

Serial No. 10,668,920

PAGE 5
CASE 52340AUSM1

4-[[3-[[7-(aminoiminomethyl)-2-naphthalenyl]methyl]-5-methyl-2,4-dioxo-5-phenyl-1-imidazolidinyl]methyl]-benzamide;

3-[[3-[[7-(aminoiminomethyl)-2-naphthalenyl]methyl]-5-methyl-2,4-dioxo-5-phenyl-1-imidazolidinyl]methyl]-benzamide;

7-[[3-[(3-aminophenyl)methyl]-4-methyl-2,5-dioxo-4-phenyl-1-imidazolidinyl]methyl]-2-naphthalenecarboximidamide; and

7-[[3-[[4-(aminoiminomethyl)phenyl]methyl]-4-methyl-2,5-dioxo-4-phenyl-1-imidazolidinyl]methyl]-2-naphthalene carboximidamide;

as a single stereoisomer, a mixture of individual stereoisomers, or a racemic mixture.